FLSEVIER

Contents lists available at SciVerse ScienceDirect

Journal of Ethnopharmacology

journal homepage: www.elsevier.com/locate/jethpharm



Wound healing and anti-inflammatory properties of *Ranunculus pedatus* and *Ranunculus constantinapolitanus*: A comparative study

Esra Küpeli Akkol^{a,*}, Ipek Süntar^a, Tuğçe Fafal Erdoğan^b, Hikmet Keleş^c, Tuba Mert Gonenç^b, Bijen Kıvçak^b

- ^a Department of Pharmacognosy, Faculty of Pharmacy, Gazi University, Etiler 06330, Ankara, Turkey
- ^b Department of Pharmacognosy, Faculty of Pharmacy, Ege University, Bornova 35100, İzmir, Turkey
- ^c Department of Pathology, Faculty of Veterinary Medicine, Afyon Kocatepe University, 03200 Afyonkarahisar, Turkey

ARTICLE INFO

Article history: Received 27 August 2011 Received in revised form 26 October 2011 Accepted 18 November 2011 Available online 28 November 2011

Keywords:
Anti-inflammatory
Excision
Hydroxyproline
Incision
Ranunculaceae
Tensiometer
Wound healing

ABSTRACT

Ethnopharmacological relevance: In Turkish folk medicine Ranunculus species are used for wound healing and for the treatment of rheumatism. The present study was conducted to evaluate in vivo wound healing and anti-inflammatory properties of Ranunculus pedatus and Ranunculus constantinapolitanus.

Material and methods: In vivo wound healing activity of the extracts prepared from Ranunculus pedatus and Ranunculus constantinapolitanus was evaluated by linear incision and circular excision wound models. Hydroxyproline content of the treated tissues was also assessed. We also studied the anti-inflammatory activity using Whittle method with some modifications.

Results: Methanolic extract of Ranunculus pedatus showed significant wound healing effect both in incision (31.4%) and excision (55.74%) wound models. Methanolic extract of both Ranunculus pedatus and Ranunculus constantinapolitanus demonstrated anti-inflammatory activity with the inhibition value of 26.2% and 23.3% respectively, at the dose of 100 mg/kg. Hydroxyproline content of the tissues treated with the methanolic and aqueous extracts of Ranunculus pedatus and methanolic extract of Ranunculus constantinapolitanus were found to be significantly higher than that of the other extracts.

Conclusion: The experimental data revealed that Ranunculus pedatus showed significant wound healing and anti-inflammatory effect.

© 2011 Elsevier Ireland Ltd. All rights reserved.

1. Introduction

Ranunculus L. (Ranunculaceae) is a widespread and temperate genus represented with 84 species in the Flora of Turkey (Davis, 1965, 1988; Güner, 2000). The genus Ranunculus is locally known as "basur otu, düğün çiçeği, katır nalı" in Turkey (Baytop, 1999).

Ranunculus species are used in traditional medicine as remedy for skin diseases (Gürhan and Ezer, 2004), antihemoroidal (Newall et al., 1996), wound healing (Zhu, 1990), antirheumatic (Sezik et al., 2001) and for the treatment of tuberculosis (Baytop, 1999), edema, abcesses and constipation (Gürhan and Ezer, 2004). According to literature survey, some plants belonging this genus have been shown to possess important biological properties such as antiviral (Li et al., 2005), antimicrobial (Barbour et al., 2004), anti-inflammatory (Cao and Meng, 1992; Prieto et al., 2003) and antiprotozoal (Orhan et al., 2006) activities. The methanolic extract of Ranunculus constantinapolitanus DC. was shown to possess anti-inflammatory activity using *in vitro* models of inflammation

in a previous study (Fostok et al., 2009). However, there have been no reports on anti-inflammatory activity *Ranunculus pedatus* Waldst.&Kit. subsp. *pedatus*.

In previous phytochemical studies on *Ranunculus* species, flavonoids (Marston et al., 2006; Liang et al., 2008), saponins (Wegner and Hamburger, 2000), alkaloids (Zhang et al., 2007), fatty acids and organic acids (Chi et al., 2007) were isolated.

The aim of the present study is to evaluate the wound healing and anti-inflammatory activities of *Ranunculus constantinapolitanus* and *Ranunculus pedatus* by using *in vivo* experimental models.

2. Materials and methods

2.1. Plant material

Ranunculus pedatus Waldst.&Kit. subsp. pedatus and Ranunculus constantinapolitanus DC. were collected in May 2005 from Manisa-Spil and Yamanlar-İzmir, respectively. Both plants were identified by Ö. Seçmen from Ege University. The voucher specimens (herbarium numbers: 1349 for Ranunculus constantinapolitanus and 1364

^{*} Corresponding author. Tel.: +90 312 2023185; fax: +90 312 2235018. E-mail address: esrak@gazi.edu.tr (E. Küpeli Akkol).

for *Ranunculus pedatus*) are deposited in the herbarium of the Faculty of Pharmacy, Ege University, İzmir, Turkey.

2.2. Preparation of plant extracts

Diethylether, n-hexane, ethyl acetate, methanol and water extracts were separately prepared from 20 g batches of the air-dried and powdered plant materials by extracting with 200 ml solvent at room temperature at 24 h. Then the solvents were evaporated to dryness $in\ vacuo\ (60\ ^\circ\text{C})$. The yields of diethylether, n-hexane, ethyl acetate, methanol and water extracts of $Ranunculus\ pedatus$ subsp. $pedatus\ were\ 1.12\%,\ 0.95\%,\ 2.99\%,\ 9.57\%,\ and\ 12.01\%$ and of $Ranunculus\ constantinapolitanus\ were\ 0.95\%,\ 1.05\%,\ 3.52\%,\ 10.21\%,\ and\ 14.25\%,\ respectively. All the extracts were stored at <math>-20\ ^\circ\text{C}$.

2.3. Phytochemical screening

Phytochemical screening of crude extracts of the two plants was carried out using standard phytochemical methods (Harborne, 1998; Aguinaldo et al., 2005) (Table 1).

2.4. Biological activity tests

2.4.1. Animals

Male, Sprague-Dawley rats (160–180 g) and Swiss albino mice (20–25 g) were purchased from the animal breeding laboratory of Saki Yenilli (Ankara, Turkey).

The animals were left for 3 days at room conditions for acclimatization. They were maintained on standard pellet diet and water *ad libitum* throughout the experiment. A minimum of six animals were used in each group. Throughout the experiments, animals were processed according to the suggested European ethical guidelines for the care of laboratory animals.

2.4.2. Preparation of test samples for bioassay

Incision and excision wound models were used to evaluate the wound healing activity. For the *in vivo* wound models, test samples were prepared in an ointment base (vehicle) consisting of glycol stearate, 1,2 propylene glycol, liquid paraffin (3:6:1) in 1% concentration. 0.5 g of each test ointment was applied topically on the wounded site immediately after wound was created by a surgical blade.

The animals of the vehicle group were treated with the ointment base only, whereas the animals of the reference drug group were treated with 0.5 g of Madecassol® (Bayer, 00001199). Madecassol contains 1% extract of *Centella asiatica*.

For the assessment of anti-inflammatory activity, test samples were given orally to the test animals after suspending in a mixture of distilled $\rm H_2O$ and 0.5% sodium carboxymethyl cellulose (CMC). The control group animals received the same experimental handling as those of the test groups except the drug treatment was

replaced with appropriate volumes of dosing vehicle. Indomethacin (10 mg/kg) in 0.5% CMC was used as reference drug.

2.4.3. Wound healing activity

2.4.3.1. Linear incision wound model. Animals, seven rats in each group, were anesthetized with 0.15 cc Ketalar[®]. The hairs on the dorsal part of the rats were shaved and cleaned with 70% alcohol. Two 5-cm length linear-paravertebral incisions were made with a sterile blade through the shaved skin at the distance of 1.5 cm from the dorsal midline on each side. Three surgical sutures were placed each 1 cm apart.

The ointments prepared with test samples, the reference drug (Madecassol®) or ointment base [glycol stearate:propylene glycol:liquid parafin (3:6:1)] were topically applied on the dorsal wounds in each group of animals once daily throughout 9 days. All the sutures were removed on the last day and tensile strength of previously wounded and treated skin was measured by using a tensiometer (Zwick/Roell Z0.5, Germany) (Suguna et al., 2002; Lodhi et al., 2006).

2.4.3.2. Circular excision wound model. This model was used to monitor wound contraction and wound closure time. Each group of animals (seven animals in each) was anesthetized by 0.01 cc Ketalar[®]. The back hairs of the mice were depilated by shaving. The circular wound was created on the dorsal interscapular region of each animal by excising the skin with a 5 mm biopsy punch; wounds were left open. Test samples, the reference drug (Madecassol[®], Bayer) and the vehicle ointments were applied topically once a day till the wound was completely healed. The progressive changes in wound area were monitored by a camera (Fuji, S20 Pro, Japan) every other day. Later on, wound area was evaluated by using AutoCAD program. Wound contraction was calculated as percentage of the reduction in wounded area. A specimen sample of tissue was isolated from the healed skin of each group of mice for the histopathological examination (Sadaf et al., 2006).

2.4.3.3. Hydroxyproline estimation. Tissues were dried in hot air oven at $60-70\,^{\circ}\text{C}$ till consistent weight was achieved. Afterwards, samples were hydrolyzed with 6N HCl for 4h at $130\,^{\circ}\text{C}$. The hydrolyzed samples were adjusted to pH 7 and subjected to chloramin T oxidation. The colored adduct formed with Ehrlich reagent at $60\,^{\circ}\text{C}$ was read at $557\,\text{nm}$ (Woessner, 1961). Standard hydroxyproline was also run and values reported as $\mu\text{g/mg}$ dry weight of tissue (Rasik et al., 1999).

2.4.4. Histopathology

The skin specimens from each group were collected at the end of the experiment. Samples were fixed in 10% buffered formalin, processed and blocked with paraffin and then sectioned into 5 μ m sections and stained with hematoxylin and eosin (HE) and Van Gieson (VG) stains. The tissues were examined by light microscope

Table 1Results of preliminary phytochemical screening.

| Plant | Extract | Steroids | Triterpene | Alkaloids | Saponin | Tannin | Anthraquinone | Flavonoids | Sugars | Reducing Sugar | Coumarins | Starch |
|-------|---------------|----------|------------|-----------|---------|--------|---------------|------------|--------|----------------|-----------|--------|
| | Diethylether | _ | _ | + | _ | _ | _ | _ | _ | _ | _ | _ |
| | n-Hexane | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| RP | Ethyl acetate | _ | _ | _ | _ | _ | _ | + | _ | _ | _ | _ |
| | Methanol | + | + | _ | _ | _ | _ | + | - | _ | _ | _ |
| | Water | _ | _ | _ | + | _ | _ | _ | - | _ | _ | _ |
| | Diethylether | _ | _ | + | _ | _ | _ | _ | _ | _ | _ | _ |
| RC | n-Hexane | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| | Ethyl acetate | _ | _ | _ | _ | _ | _ | + | _ | _ | _ | _ |
| | Methanol | + | + | _ | _ | _ | _ | + | _ | _ | _ | _ |
| | Water | _ | _ | _ | + | _ | _ | _ | _ | _ | _ | _ |

(Olympus CX41 attached Kameram® Digital Image Analyze System) and graded as mild (+), moderate (++) and severe (+++) for epidermal or dermal re-modeling. Re-epithelization or ulcus in epidermis; fibroblast proliferation, mononuclear and/or polymorphonuclear cells, neo-vascularization and collagen depositions in dermis were analyzed to score the epidermal or dermal re-modeling. Van Gieson stained sections were analyzed for collagen deposition. At the end of the examination, all the wound healing processes were combined and staged for wound healing phases as inflammation, proliferation, and re-modeling in all groups.

2.4.5. Anti-inflammatory activity

2.4.5.1. Acetic acid-induced increase in capillary permeability. Effect of the test samples on the increased vascular permeability induced by acetic acid in mice was determined according to Whittle method (Whittle, 1964) with some modifications (Yesilada and Küpeli, 2007). Each test sample was administered orally to a group of 10 mice in 0.2 ml/20 g body weight. Thirty minutes after the administration, tail of each animal was injected with 0.1 ml of 4% Evans blue in saline solution (i.v.) and waited for 10 min. Then, 0.4 ml of 0.5% (v/v) AcOH was injected i.p. After 20 min incubation, the mice were killed by dislocation of the neck, and the viscera were exposed and irrigated with distilled water, which was then poured into 10 ml volumetric flasks through glass wool. Each flask was made up to 10 ml with distilled water, 0.1 ml of 0.1 N NaOH solution was added to the flask, and the absorption of the final solution was measured at 590 nm (Beckmann Dual Spectrometer; Beckman, Fullerton, CA, USA). A mixture of distilled water and 0.5% CMC was given orally to control animals, and they were treated in the same manner as described above.

2.4.6. Statistical analysis of the data

The data on percentage anti-inflammatory and wound healing were statistically analyzed using one-way analysis of variance (ANOVA). The values of $p \le 0.05$ were considered statistically significant.

Histopathologic data were considered to be nonparametric; therefore, no statistical tests were performed.

Effect of the extracts of Ranunculus pedatus and Ranunculus constantinapolitanus on

| Material | Extract type | Statistical mean \pm S.E.M. | Tensile strength (%) |
|------------------------------------|--|---|---|
| Vehicle Negative control | | $13.41 \pm 2.81 \\ 13.26 \pm 2.92$ | 1.1 |
| Ranunculus pedatus | n-Hexane Diethylether Ethyl acetate Methanol Aqueous | $\begin{aligned} 14.80 &\pm 2.56 \\ 13.75 &\pm 2.90 \\ 15.19 &\pm 2.14 \\ 17.62 &\pm 1.24 \\ 15.89 &\pm 2.70 \end{aligned}$ | 10.4 2.5 13.3 31.4 ** 18.5 |
| Ranunculus constantinapolitanus | n-Hexane Diethylether Ethyl acetate Methanol Aqueous | $\begin{array}{c} 12.17 \pm 2.41 \\ 12.03 \pm 2.32 \\ 13.76 \pm 2.16 \\ 16.02 \pm 1.65 \\ 15.30 \pm 2.08 \end{array}$ | - 2.6 19.5 14.1 |
| Madecassol® | | 19.91 ± 1.06 | 48.5*** |

S.E.M.: standard error of the mean.

Percentage of tensile strength values: vehicle group was compared to negative control group; the extracts and the reference material were compared to vehicle group.

Effect of the extracts of *Ranunculus pedatus* and *Ranunculus constantinapolitanus* on circular excision wound model.

| Vehicle | | | | | | | | |
|--|--|--|---|---|---|--|---|--|
| Vehicle | | 0 | 2 | 4 | 9 | 8 | 10 | 12 |
| Negative control | | 19.49 ± 2.21 19.62 ± 2.14 | $17.26 \pm 2.43 (0.58)$ 17.36 ± 2.15 | $15.84 \pm 2.13 (4.06) \\ 16.51 \pm 2.05$ | $12.10 \pm 1.75 (14.06)$ 14.08 ± 1.63 | $9.10 \pm 1.41 (13.58)$ 10.53 ± 1.19 | $6.95 \pm 1.23 (8.43)$ 7.59 ± 1.84 | $3.05 \pm 0.52 (3.48)$ 3.16 ± 1.36 |
| Danmenhe nadane | n-Hexane Diethylether | 19.36 ± 2.19 19.23 ± 2.12 19.87 ± 2.11 | $16.24 \pm 2.06 (5.91)$ $15.78 \pm 2.23 (8.57)$ $17.52 \pm 2.05 (-)$ | $14.58 \pm 2.22 (7.95)$ $14.27 \pm 1.72 (9.91)$ $15.10 \pm 2.42 (4.67)$ | $10.62 \pm 1.54 (12.23)$ $10.40 \pm 1.55 (14.05)$ $10.78 \pm 1.04 (10.01)$ | $8.71 \pm 1.52 (4.29)$ $9.05 \pm 1.62 (0.55)$ $9.86 \pm 2.14 (-)$ | $6.20 \pm 1.47 (10.79)$ $6.13 \pm 0.89 (11.79)$ $6.45 \pm 1.52 (7.19)$ | $2.95 \pm 0.49 (3.28)$ $2.85 \pm 0.41 (6.56)$ |
| | Aqueous Methanol | 19.54 ± 2.42 19.57 ± 2.17 | | $13.26 \pm 1.94 (16.29)$ $13.56 \pm 1.87 (14.39)$ | $10.21 \pm 1.57 (15.62)$ $10.21 \pm 1.57 (15.62)$ $9.65 \pm 1.82 (20.25)$ | $9.15 \pm 1.60(-)$ $7.43 \pm 1.86(18.35)$ | $6.25 \pm 1.06 (10.07)$ $4.79 \pm 0.82 (31.08)^*$ | $2.21 \pm 0.69(27.54)$ $1.35 \pm 0.38(55.74)$ |
| n Ranunculus Constantinapolitanus A | n-Hexane Diethylether Ethyl acetate Aqueous Methanol | 20.13 ± 2.56 19.41 ± 2.45 20.01 ± 2.36 19.56 ± 2.02 19.55 ± 2.08 | 18.50 ± 1.82 (-) 15.21 ± 1.44 (11.88) 15.84 ± 1.26 (8.23) 16.45 ± 2.60 (4.69) 16.45 ± 2.02 (4.69) | 15.81 ± 1.99 (0.19) 13.25 ± 1.84 (16.35) 13.56 ± 2.03 (14.39) 13.12 ± 1.78 (17.17) 14.25 ± 2.16 (10.04) | 12.42 ± 1.71 (-) 9.39 ± 1.42 (22.39) 9.17 ± 1.80 (24.21) 9.92 ± 1.41 (18.02) 10.19 ± 1.81 (15.79) | 8.89 ± 1.67 (2.31) 7.52 ± 1.46 (17.36) 7.61 ± 1.19 (16.37) 7.86 ± 1.08 (13.63) 7.81 ± 1.63 (14.18) | 6.02 ± 0.59 (13.38) 5.61 ± 0.56 (19.28) 5.49 ± 1.14 (21.01) 6.03 ± 1.65 (13.24) 5.04 ± 1.16 (27.48) | 2.17 ± 0.56 (28.85) 2.51 ± 0.25 (17.70) 2.48 ± 0.15 (18.69) 2.42 ± 0.34 (20.66) 2.10 ± 0.65 (31.15) |
| Madecassol [®] | | 19.66 ± 2.15 | $15.62 \pm 1.82 (9.50)$ | $11.20 \pm 1.53 (29.29)$ | $6.52 \pm 1.21 (46.12)^{**}$ | $3.40 \pm 0.75 (62.64)^{**}$ | $0.79 \pm 0.26 (88.63)^{***}$ | $0.00 \pm 0.00 (100.00$ |

200

Percentage of contraction values: vehicle group was compared to negative control group; the extracts and the reference material were compared to vehicle group.

p < 0.01.

p < 0.001.




Fig. 1. Histopathological view of wound healing and epidermal/dermal re-modeling in the vehicle, negative control, extracts and reference ointment Madecassol® administered animals. Skin sections show the hematoxylin and eosin (HE) stained epidermis and dermis in A, and the dermis stained with Van Gieson (VG) in B. The original magnification was 100× and the scale bars represent 120 μm for figures in A, and the original magnification was 400× and the scale bars represent 40 μm for B. Data are representative of 6 animal per group. (1) Vehicle group, 10 day old wound tissue treated with vehicle, (2) negative control group, 10 day old wound tissue, untreated group, (3) Ranunculus pedatus diethylether group, 10 day old wound tissue treated with the diethylether extract of Ranunculus pedatus, (4) Ranunculus pedatus nehatus pedatus nehatus group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl acetate group, 10 day old wound tissue treated with the nextract of Ranunculus pedatus ethyl

Table 4Wound healing processes and healing phases of the vehicle, negative control, extracts and Madecassol® administered animals.

| Groups | Extract type | Wound h | Wound healing processes | | | | | | | Healing phases | | |
|------------------------------------|---------------|---------|-------------------------|------|--------|--------|--------|--------|--------|----------------|--------|------|
| | | S | U | RE | FP | CD | MNC | PMN | NV | I | P | R |
| Vehicle | | +++ | +++ | _ | ++/+++ | ++/+++ | ++ | ++ | ++/+++ | ++/+++ | ++/+++ | _ |
| Negative control | | ++/+++ | ++/+++ | _ | ++/+++ | ++/+++ | ++/+++ | ++/+++ | ++/+++ | ++/+++ | ++/+++ | _ |
| | n-Hexane | ++/+++ | _/+ | _/+ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | _/+ |
| | Diethylether | ++/+++ | ++/+++ | _ | ++/+++ | ++ | ++ | ++ | ++/+++ | ++/+++ | ++/+++ | _ |
| Ranunculus pedatus | Ethyl acetate | ++ | _/ + | _/+ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | _/+ |
| • | Aqueous | ++ | | +/++ | ++ | +/++ | +/++ | +/++ | ++ | +/++ | ++ | +/++ |
| | Methanol | ++ | _ | ++ | ++ | ++ | +/++ | +/++ | ++ | ++ | ++ | + |
| | n-Hexane | ++/+++ | ++/+++ | _ | ++ | ++ | ++ | ++ | ++/+++ | ++ | ++ | _ |
| Ranunculus constantinapolitanus | Diethylether | ++/+++ | ++/+++ | _ | ++ | ++ | ++ | ++ | ++ | ++/+++ | ++ | _ |
| | Ethyl acetate | ++/+++ | ++ | _ | ++/+++ | ++/+++ | ++ | ++ | ++/+++ | ++ | ++/+++ | _ |
| | Aqueous | ++ | _ | + | ++ | ++ | +/++ | +/++ | ++ | +/++ | ++ | + |
| | Methanol | ++/+++ | _/+ | _/+ | ++ | ++ | ++ | ++ | ++/+++ | ++ | ++/+++ | _/+ |
| Madecassol® | | ++ | _ | +/++ | ++ | +/++ | +/++ | +/++ | +/++ | +/++ | ++ | +/++ |

HE and VG stained sections were scored as absent (–), mild (+), moderate (++) and severe (+++) for epidermal and/or dermal re-modeling. S: scab, U: ulcus, RE: re-epithelization, FP: fibroblast proliferation, CD: collagen depositions, MNC: mononuclear cells, PMN: polymorphonuclear cells, NV: neovascularization, I: inflammation phase, P: proliferation phase, and R: re-modeling phase.

3. Results and discussion

Wound healing process comprises of three phases inflammation, proliferation and remodeling (Kondo, 2007). Agents which contribute wound healing in one or more phases are needed for the activity enhancement. In the present study, we aimed to evaluate the wound healing activities of various extracts prepared from *Ranunculus pedatus* and *Ranunculus constantinapolitanus* by using *in vivo* incision and excision wound models subsequently histopathological analysis and hydroxyproline estimation. Anti-inflammatory activity of the extracts was also assessed. The experimental results are presented in Tables 2–6.

As shown in Table 2, methanolic extract of *Ranunculus pedatus* displayed significant effect in incision wound model with the value of 31.4%. Moreover, the same extract treated group animals showed remarkable wound healing effect in excision wound model (Table 3). The contraction values were recorded as 31.08% and 55.74% on days 10 and 12 respectively. In addition, the methanolic extract of *Ranunculus constantinapolitanus* demonstrated significant effect in the same wound model.

In order to score the epidermal or dermal re-modeling, re-epithelization or ulcus in epidermis; fibroblast proliferation, mononuclear and/or polymorphonuclear cells, neo-vascularization and collagen depositions in dermis were analyzed. Reepithelization was completed in the group treated with the methanolic extract of *Ranunculus pedatus*. Phases in wound healing processes (inflammation, proliferation, and remodeling) were observed within the experimental groups with different degree (Table 4 and Fig. 1). The reference drug and methanolic extract of *Ranunculus pedatus* treated group demonstrated faster re-modeling compared to the other groups. Limited wound healing processes were seen in the groups treated with the rest of the extract ointments. Negative control and vehicle treated groups showed delayed wound healing.

Hydroxyproline estimation is an important parameter for wound healing which gives an idea of collagen concentration

Table 5Effect of topical treatment of the test ointments for 7 days on hydroxyproline content.

| Material | Extract type | Hydroxyproline $(\mu g/mg) \pm S.E.M.$ |
|------------------------------------|--|---|
| Negative control Vehicle | | $\begin{array}{c} 22.3 \pm 2.03 \\ 25.2 \pm 2.44 \end{array}$ |
| Ranunculus pedatus | n-Hexane Diethylether Ethyl acetate Methanol Aqueous | 23.5 ± 2.41 23.9 ± 3.12 26.2 ± 3.03 46.1 3.23 ** 32.4 2.82 * |
| Ranunculus constantinapolitanus | n-Hexane Diethylether Ethyl acetate Methanol Aqueous | 18.3 ± 2.51 20.2 ± 2.63 28.1 ± 2.85 42.7 2.15 ** 25.2 ± 3.24 |
| Madecassol® | | 60.8 3.63*** |

S.E.M.: standard error of the mean.

p < 0.001 significant from the control.

that provides an enhancement to the strength of healed tissue. The hydroxyproline contents of extract treated tissues are presented in Table 5. Methanolic and aqueous extracts of *Ranunculus pedatus* and methanolic extract of *Ranunculus constantinapolitanus* treated groups showed significant enhancement in hydroxyproline content.

Anti-inflammatory activity is essential for the wound healing process, since long period in inflammatory phase results in retardation of healing. Methanolic extracts of both *Ranunculus pedatus* and *Ranunculus constantinapolitanus* were found to be effective in anti-inflammatory activity assessment assay. According to Table 6, the activity value of *Ranunculus pedatus* (26.2%) was higher than that of *Ranunculus constantinapolitanus* (23.3%).

ethyl acetate extract of *Ranunculus pedatus*, (6) *Ranunculus pedatus*, (7) *Ranunculus pedatus*, (8) *Ranunculus pedatus*, (8) *Ranunculus pedatus*, (8) *Ranunculus constantinapolitanus* diethylether group, 10 day old wound tissue treated with the diethylether extract of *Ranunculus constantinapolitanus*, (9) *Ranunculus constantinapolitanus* n-hexane group, 10 day old wound tissue treated with the *n*-hexane extract of *Ranunculus constantinapolitanus*, (10) *Ranunculus constantinapolitanus* ethyl acetate group, 10 day old wound tissue treated with the ethyl acetate extract of *Ranunculus constantinapolitanus*, (11) *Ranunculus constantinapolitanus* methanol group, 10 day old wound tissue treated with the methanol extract of *Ranunculus constantinapolitanus*, (12) *Ranunculus constantinapolitanus*, and (13) *reference group*, 10 day old wound tissue treated with the aqueous extract of *Ranunculus constantinapolitanus*, and (13) reference group, 10 day old wound tissue treated with Madecassol® Arrows pointing events during wound healing; s: scab, u: ulcus, re: re-epithelization, f: fibroblast, c: collagen, mnc: mononuclear cells, pmn: polymorphonuclear cells, and nv: neovascularization.

p < 0.05 significant from the control.

^{**} p < 0.01 significant from the control.

Table 6 Inhibitory effect of the extracts of Ranunculus pedatus and Ranunculus constantinapolitanus on acetic acid-induced increased in capillary permeability,

| Material | Extract type | Dose (mg/kg) | Evans blue concentration ($\mu g/ml$) \pm S.E.M. | Inhibition (%) |
|----------------------|---------------|--------------|--|-------------------|
| Control | | | 9.40 ± 1.20 | |
| | n-Hexane | 100 | 9.25 ± 1.16 | 1.6 |
| | Diethylether | 100 | 10.21 ± 1.32 | _ |
| Ranunculus pedatus | Ethyl acetate | 100 | 7.66 ± 1.13 | 18.5 |
| - | Methanol | 100 | 6.94 ± 0.71 | 26.2 * |
| | Aqueous | 100 | 7.86 ± 1.01 | 16.4 |
| | n-Hexane | 100 | 9.44 ± 1.15 | = |
| Paramanih sa | Diethylether | 100 | 9.19 ± 1.23 | 2.2 |
| Ranunculus | Ethyl acetate | 100 | 8.11 ± 1.09 | 13.7 |
| constantinapolitanus | Methanol | 100 | 7.21 ± 0.69 | 23.3 [*] |
| | Aqueous | 100 | 8.45 ± 0.98 | 10.1 |
| Indomethacin | | 10 | 3.77 ± 0.30 | 59.9*** |

S.E.M.: standard error of the mean.

Preliminary phytochemical screening of different chemical compounds (steroids, triterpenoids, alkaloids, tannin, anthraquinone, sugars, reducing sugar, flavonoids, coumarins, starchs, saponins) was analyzed in the extracts. Thus out of $(10 \times 10 = 100)$ tests for the presence or absence of the above compounds, only 12 gave positive results (Table 1). Alkaloids are present only in diethylether extracts, saponins are present in water extracts. Flavonoids are present in both ethyl acetate and methanol extracts. Among the five different extracts of plants only the methanol extracts show the presence of steroids, triterpenes and flavonoids.

In reviewing the literature, we highlighted the role of phenols, flavonoids and terpenoids in the treatment of inflammation and wound healing (Talhouk et al., 2007). Previous reports revealed that terpenoids have multiple pharmacological effects (Edris, 2007). Some studies have shown that terpenoids have cytotoxic, lipophilic, bactericidal, fungicidal, insecticidal, anticarcinogenic, pesticidal, antioxidant, anti-inflammatory and analgesic properties (Takayama et al., 2011). Furthermore, terpenoids are known to promote the wound healing process, because of their astringent and antimicrobial effects, which seem to be responsible for the wound contraction, therefore an increased rate of epithelialization (Scortichini and Pia Rossi, 1991; Sasidharan et al., 2010). Flavonoids are also used for their several therapeutic effects such as antioxidant, antiinflammatory, antifungal and wound healing (Okuda, 2005; Nayak et al., 2009). Inhibition of lipid peroxidation effect by flavonoids results in the increase of the viability of collagen fibrils and prevention of the cell damage (Getie et al., 2002; Shetty et al., 2008). Flavonoids are also known to promote the rapid wound healing due to their antimicrobial and astringent properties (Tsuchiya et al., 1996). Accordingly, the methanol extracts of the plants which presumably rich in these compounds was found to be active in wound healing and anti-inflammatory activity evaluation assays. In conclusion, wound-healing potential of Ranunculus pedatus may be attributed to the flavonoids and terpenoids present in the aerial parts, which may be either due to their individual or additive effect that accelerates the healing process. Further phytochemical studies are in progress, where the methanolic extract will be subjected to further fractionation for the identification of the compound(s) responsible for the activity. This study provides scientific evidence for the ethnomedicinal features of Ranunculus species in Turkey.

References

Aguinaldo, A.M., Espeso, E.I., Guevara, B.Q., Nonato, M.G., 2005. Phytochemistry. In: Guevara, B.Q. (Ed.), A Guidebook to Plant Screening: Phytochemical and Biological. University of Santo Tomas, Manila, Philippines.

Barbour, E.K., Sharif, M.A., Sagherian, A.N., Habre, R.S., Talhouk, S.N., 2004. Screening of selected indigenous plants of Lebanon for antimicrobial activity. Journal of Ethnopharmacology 93, 1-7

Baytop, T., 1999. Theraphy with Medicinal Plants in Turkey (Past and Present), 2nd ed. Nobel Tip Kitabevleri.

Cao, B.J., Meng, Q.Y., 1992. Analgesic and anti-inflammatory effects of Ranunculus japonicus extract. Planta Medica 58, 496-498.

Chi, Y., Yang, Y., Yu, S., 2007. Effect and composition of organic acid of Radix ranunculus ternati. Nanjing Zhongyiyao Daxue Xuebao 23, 365-367.

Davis, P.H., 1965. Ranunculus L. (Ranunculaceae). Flora of Turkey and the East Aegeaen Islands, vol. 1. Edinburgh University Press, Edinburgh, pp. 146-197.

Davis, P.H., 1988. Ranunculus L. (Ranunculaceae). Flora of Turkey and the East Aegeaen Islands Supplement, vol. 10. Edinburgh University Press, Edinburgh, pp. 18-22, 231.

Edris, A.E., 2007. Pharmaceutical and therapeutic potentials of essential oils and their individual volatile constituents: a review. Phytotherapy Research 21, 308-323.

Fostok, S.F., Ezzeddine, R.A., Homaidan, F.R., Al-Saghir, J.A., Salloum, R.G., Saliba, N.A., Talhouk, R.S., 2009. Interleukin-6 and cycloxygenase-2 downregulation by fatty-acid fractions of Ranunculus constantinapolitanus. BMC Complementary and Alternative Medicine 9, 1-12.

Getie, M., Gebre Mariam, T., Reitz, R., Neubert, R.H., 2002. Evaluation of the release profiles of flavonoids from topical formulations of the crude extract of the leaves of Dodonea viscosa (Sapindaceae). Pharmazie 57, 320-322.

Güner, A., 2000. Ranunculus L. In: Güner, A., Özhatay, N., Ekim, T., Başer, K.H.C. (Eds.), Flora of Turkey and East Aegean Islands Supplement 2, vol. 11. Edinburgh University Press, Edinburgh, p. 14.

Gürhan, G., Ezer, N., 2004. Plants used for hemorrhoid treatment in folk medicine I. Hacettepe University Journal of the Faculty of Pharmacy 24, 37-55.

Harborne, J.B., 1998. Phytochemical Methods. Chapman and Hall, London.

Kondo, T., 2007. Timing of skin wounds. Legal Medicine 9, 109–114.

Li, H., Zhou, C., Pan, Y., Gao, X., Bai, H., Zhou, L., Chen, Z., Zhang, S., Shi, S., Luo, J., Xu, J., Chen, L., Zheng, X., Zhao, Y., 2005. Evaluation of antiviral activity of compounds isolated from Ranunculus sieboldii and R. sceleratus. Planta Medica 71. 1128-1133.

Liang, Y., Chen, Z., Liu, L., 2008. Studies on chemical constituents of Ranunculus japonicus. Zhongguo Zhongyao Zazhi 33, 2201-2203.

Lodhi, S., Pawar, R.S., Jain, A.P., Singhai, A.K., 2006. Wound healing potential of Tephrosia purpurea (Linn.) Pers. in rats. Journal of Ethnopharmacology 108,

Marston, A., Cabo, M., Lubrano, C., 2006. Clarification of the saponin composition of Ranunculus ficaria tubers. Natural Product Communications 1, 27-32.

Nayak, S.B., Sandiford, S., Maxwell, A., 2009. Evaluation of the wound-healing activity of ethanolic extract of Morinda citrifolia L. leaf. Evidence Based Complementary and Alternative Medicine 6, 351-356.

Newall, C.A., Anderson, L.A., Phillipson, J.D., 1996. Herbal Medicines. Pharmaceutical Press, London.

Okuda, T., 2005. Systematics and health effects of chemically distinct tannins in medicinal plants. Phytochemistry 66, 2012-2031.

Orhan, I., Sener, B., Atıcı, T., Brun, R., Perozzo, R., Tasdemir, D., 2006. Turkish freshwater and marine macrophyte extracts show in vitro antiprotozoal activity and inhibit Fab I, a key enzyme of Plasmodium falciparum fatty acid biosynthesis. Phytomedicine 13, 388-393.

Prieto, J.M., Recio, M.C., Giner, R.M., Manez, S., Rios, J.L., 2003. Pharmacological approach to the pro- and anti-inflammatory effects of Ranunculus sceleratus L. Journal of Ethnopharmacology 89, 131-137.

Rasik, A.M., Raghubir, R., Gupta, A., Shukla, A., Dubey, M.P., Srivastava, S., Jain, H.K., Kulshrestha, D.K., 1999. Healing potential of Calotropis procera on dermal wounds in Guinea pigs. Journal of Ethnopharmacology 68, 261-266.

Sadaf, F., Saleem, R., Ahmed, M., Ahmad, S.I., Navaid-ul, Z., 2006, Healing potential of cream containing extract of Sphaeranthus indicius on dermal wounds in guinea pigs. Journal of Ethnopharmacology 107, 161-163.

p < 0.05 significant from the control.

p < 0.001 significant from the control.

- Sasidharan, S., Nilawatyi, R., Xavier, R., Latha, L.Y., Amala, R., 2010. Wound healing potential of *Elaeis guineensis* Jacq leaves in an infected albino rat model. Molecules 15, 3186–3199.
- Scortichini, M., Pia Rossi, M., 1991. Preliminary in vitro evaluation of the antimicrobial activity of triterpenes and terpenoids towards *Erwinia amylovora* (Burrill). Journal of Bacteriology 71, 109–112.
- Sezik, E., Yeşilada, E., Honda, G., Takaishi, Y., Takeda, Y., Tanaka, T., 2001. Traditional medicine in Turkey. X. Folk medicine in Central Anatolia. Journal of Ethnopharmacology 75, 95–115.
- Shetty, S., Udupa, S., Udupa, L., 2008. Evaluation of antioxidant and wound healing effects of alcoholic and aqueous extract of *Ocimum sanctum* Linn in rats. Evidence Based Complementary and Alternative Medicine 5, 95–101.
- Suguna, L., Singh, S., Sivakumar, P., Sampath, P., Chandrakasan, G., 2002. Influence of *Terminalia chebula* on dermal wound healing in rats. Phytotherapy Research 16. 227–231.
- Takayama, C., Faria, F.M., Almeida, A.C.A., Valim-Araujo, D.A.O., Rehen, C.S., Dunder, R.J., Socca, E.A.R., Manzo, L.P., Rozza, A.L., Salvador, M.J., Pellizzon, C.H., Hiruma-Lima, C.A., Luiz-Ferreira, A., Souza-Brito, A.R.M., 2011. Gastroprotective and ulcer healing effects of essential oil from *Hyptis spicigera* Lam. (Lamiaceae). Journal of Ethnopharmacology 135, 147–155.
- Talhouk, R.S., Karam, C., Fostok, S., El-Jouni, W., Barbour, E.K., 2007. Antiinflammatory bioactivities in plant extracts. Journal of Medicinal Food 10, 1–10.

- Tsuchiya, H., Sato, M., Miyazaki, T., Fujiwara, S., Tanigaki, S., Ohyama, M., et al., 1996. Comparative study on the antibacterial activity of phytochemical flavanones against methicillin-resistant *Staphylococcus aureus*. Journal of Ethnopharmacology 50, 27–34.
- Wegner, C., Hamburger, M., 2000. Tensioactive compounds from the aquatic plant *Ranunculus fluitans* L. (Ranunculaceae). Helvetica Chimica Acta 83, 1454–1464.
- Whittle, B.A., 1964. The use of changes in capillary permeability in mice to distinguish between narcotic and non-narcotic analgesics. British Journal of Pharmacology 22, 246–253.
- Woessner, J.F., 1961. The determination of hydroxyproline in tissue and protein sample containing small portions of this imino acid. Archives of Biochemistry and Biophysics 193, 440–447.
- Yesilada, E., Küpeli, E., 2007. *Clematis vitalba* L. aerial part exhibits potent antiinflammatory, antinociceptive and antipyretic effects. Journal of Ethnopharmacology 110, 504–515.
- Zhang, L., Yang, Z., Tian, J.K., 2007. Two new indolopyridoquinazoline alkaloidal glycosides from *Ranunculus ternatus*. Chemical & Pharmaceutical Bulletin 55, 1267–1269.
- Zhu, S.H., 1990. Commercial Science of Chinese Medical Materials, 1st ed. Beijing, People Healty Publishing House.